TOOLOGIC

硬质合金切削刀具样本
Cutting tools catalog




TOOLOGIC SUPPLY & MANUFACTURING LTD.


ABOUT US

Toologic Cutting Tools is specialized in manufacturing and R&D of Carbide End Mills, Drills and Taps. Our factory is equipped with Germany WALTER and Swiss ROLLOMATIC machine in production. We are reputed in the business of reliable and efficient service, and reasonable MOQ and prices. We are also providing these industrial Tools with various packaging for different markets. We are wishing to develop ourselves and increase business together with you. Please contact us to know more about our products. Any inquiry and order is welcome and appreciated. Thank you.





特殊的定位方式，刀具强度和刚性极佳
Designed for special positioning with excellent tool strength and rigidity



极高的重复定位精度，长度误差+/-0.04mm，径向误差+/-0.03mm，中心高误差+0.03mm
Very high repeatability with length tolerance+-0.04mm，radial tolerance+-0.03mm，center height tolerance+0.03mm



双内冷孔设计：冷却液直达刃口，带走切削热量和切屑。
Double internal bore design: coolant reaches the cutting edge to carry away cutting heat and chips



Small Cut 系列

- 高精度小径切削系列
- 极高的轴向和径向重复定位精度
- 免除换刀时的重复对刀工作
- 超过400款标准品库存

Small Cut series

- High precision
- Extremely high axial and radial repeatable positioning accuracy
- Eliminate repetitive tool setting work when changing tools
- More than 400 standard products in stock




公制内冷钢刀杆
Steel holder in Metric with internal coolant

●：库存品 on stock ◐：1周 1week ○：3周 3weeks

型号 Order Number	DCON$_{WS}$	DCON$_{MS}$	LF	H	OAH	库存 Stock
BTG.A10.04	4	10	65	8	14.5	●
BTG.A10.05	5				15	●
BTG.A12.04	4	12	70	10	15.5	●
BTG.A12.05	5				16	●
BTG.A12.06	6				16.5	●
BTG.A16.04	4	16	75	14	17.5	●
BTG.A16.05	5				18	●
BTG.A16.06	6				18.5	●
BTG.A16.07	7				19	●
BTG.A16.08	8				19.5	●
BTG.A20.04	4	20	90	18	20	●
BTG.A20.05	5				20	●
BTG.A20.06	6				22	●
BTG.A20.07	7				22	●
BTG.A20.08	8				25	●
BTG.A20.10	10				25	●
BTG.A22.04	4	22	110	20	22	●
BTG.A22.05	5				22	●
BTG.A22.06	6				22	●
BTG.A22.07	7				22	●
BTG.A22.08	8				22	●
BTG.A25.04	4	25	110	23	25	●
BTG.A25.05	5				25	●
BTG.A25.06	6				25	●
BTG.A25.07	7				25	●
BTG.A25.08	8				25	●
BTG.A25.10	10				25	●

刀杆 Holder





英制内冷钢刀杆
Steel holder in inch with internal coolant

●：库存品 on stock ◐：1周 1week ○：3周 3weeks

型号 Order Number	$DCON_{WS}$	$DCON_{MS}$	LF	H	OAH	库存 Stock
BTG.A0750.04	4	19.05	110	17.05	20	●
BTG.A0750.05	5				20	●
BTG.A0750.06	6				22	●
BTG.A0750.07	7				22	●
BTG.A0750.08	8				24	●
BTG.A1000.04M	4	25.4	110	23.4	25.4	●
BTG.A1000.05M	5				25.4	●
BTG.A1000.06M	6				25.4	●
BTG.A1000.07M	7				25.4	●
BTG.A1000.08	8				25.4	●
BTG.A1000.10	10				25.4	●

内孔镗刀 Boring






图示为右手
Right hand shown


P	▲			
M	▲	▲		
K				
N			▲	
S		▲		
H		△		▲

●：库存品 on stock ◐：1周 1week ○：3周 3weeks
▲：首选推荐 main recommendation △：备选推荐 alternative recommendation

型号 Order Number	Dmin	L2	R	Tmax	a	f	WB	L1	$DCON_{MS}$	LF	库存 Stock			
											TA61	TD61	M6	CB10
R/LTG4.098.00.0301	0.3	1.2	0	0.06	0.25	0.1	0.21	13	4	27.25	●/●	●/◐	●/●	
R/LTG4.098.00.0401	0.4	1.6	0	0.07	0.35	0.15	0.30	13	4	27.25	●/●	●/◐	●/●	
R/LTG4.098.00.0502	0.5	2	0	0.08	0.45	0.2	0.37	13	4	27.25	●/●	●/◐	●/●	
R/LTG4.098.00.0602	0.6	2.5	0	0.09	0.55	0.25	0.46	13	4	27.25	●/●	●/◐	●/●	
R/LTG4.098.00.0703	0.7	3.5	0	0.1	0.65	0.3	0.56	13	4	27.25	●/●	●/◐	●/●	
R/LTG4.098.00.0804	0.8	4	0	0.1	0.75	0.35	0.64	13	4	27.25	●/●	●/◐	●/●	
R/LTG4.098.00.0905	0.9	5	0	0.1	0.85	0.4	0.73	13	4	27.25	●/●	●/◐	●/●	

内孔镗刀 Boring






图示为右手
Right hand shown


●：库存品 on stock ◐：1周 1week ○：3周 3weeks
▲：首选推荐 main recommendation △：备选推荐 alternative recommendation

P	▲			
M	▲	▲		
K				
N			▲	
S		▲		
H		△		▲

型号 Order Number	Dmin	L2	R	Tmax	a	f	WB	L1	$DCON_{MS}$	LF	库存 Stock			
											TA61	TD61	M6	CB10
R/LTG4.098.05.1004	1	4	0.05	0.1	0.9	0.45	0.70	13	4	27.25	●/●	●/◐	●/●	
R/LTG4.098.05.1006		6						13		27.25	●/●	●/◐	●/●	
R/LTG4.098.10.1004	1	4	0.1	0.1	0.9	0.45	0.70	13	4	27.25	●/●	●/◐	●/●	
R/LTG4.098.10.1006		6						13		27.25	●/●	●/◐	●/●	
R/LTG4.098.05.1706	1.7	6	0.05	0.2	1.5	0.7	1.20	13	4	27.25	●/●	●/◐	●/●	
R/LTG4.098.05.1709		9						13		27.25	●/●	●/◐	●/●	
R/LTG4.098.10.1706	1.7	6	0.1	0.2	1.5	0.7	1.20	13	4	27.25	●/●	●/◐	●/●	●/-
R/LTG4.098.10.1709		9						13		27.25	●/●	●/◐	●/●	
R/LTG4.098.05.2206	2.2	6	0.05	0.2	2	1.0	1.60	13	4	27.25	●/●	●/◐	●/●	
R/LTG4.098.05.2209		9						13		27.25	●/●	●/◐	●/●	
R/LTG4.098.10.2206	2.2	6	0.1	0.2	2	1.0	1.60	13	4	27.25	●/●	●/◐	●/●	
R/LTG4.098.10.2209		9						13		27.25	●/●	●/◐	●/●	●/-
R/LTG4.098.10.2213		13						18		32.25	●/●	●/◐	●/●	

内孔镗刀 Boring






图示为右手
Right hand shown


●：库存品 on stock ◐：1周 1week ○：3周 3weeks
▲：首选推荐 main recommendation △：备选推荐 alternative recommendation

P	▲			
M	▲	▲		
K				
N			▲	
S		▲		
H		△		▲

型号 Order Number	Dmin	L2	R	Tmax	a	f	WB	L1	$DCON_{MS}$	LF	库存 Stock			
											TA61	TD61	M6	CB10
R/LTG4.098.03.2710	2.7	10	0.03	0.2	2.5	1.2	2.10	13	4	27.25	●/●	●/◐	●/●	
R/LTG4.098.05.2710	2.7	10	0.05	0.2	2.5	1.2	2.10	13	4	27.25	●/●	●/◐	●/●	
R/LTG4.098.05.2715		15						18		32.25	●/●	●/◐	●/●	
R/LTG4.098.15.2710	2.7	10	0.15	0.2	2.5	1.2	2.10	13	4	27.25	●/●	●/◐	●/●	●/-
R/LTG4.098.15.2715		15						18		32.25	●/●	●/◐	●/●	
R/LTG4.098.03.3210	3.2	10	0.03	0.2	2.95	1.50	2.55	13	4	27.25	●/●	●/◐	●/●	
R/LTG4.098.05.3215		15	0.05					18		32.25	●/●	●/◐	●/●	
R/LTG4.098.05.3220		20						23		37.25	●/●	●/◐	●/●	
R/LTG4.098.15.3210	3.2	10	0.15	0.2	2.95	1.50	2.55	13	4	27.25	●/●	●/◐	●/●	
R/LTG4.098.15.3215		15						18		32.25	●/●	●/◐	●/●	●/-
R/LTG4.098.15.3220		20						23		37.25	●/●	●/◐	●/●	
R/LTG4.098.15.3715	3.7	15	0.15	0.2	3.45	1.7	3.05	18	4	32.25	●/●	●/◐	●/●	●/-

内孔镗刀 Boring






图示为右手
Right hand shown


●：库存品 on stock ◐：1周 1week ○：3周 3weeks
▲：首选推荐 main recommendation △：备选推荐 alternative recommendation

P	▲			
M	▲	▲		
K				
N			▲	
S		▲		
H		△		▲

型号 Order Number	Dmin	L2	R	Tmax	a	f	WB	L1	$DCON_{MS}$	LF	库存 Stock			
											TA61	TD61	M6	CB10
R/LTG4.098.03.4210	4.2	10	0.03	0.3	3.95	1.95	3.45	13	4	27.25	●/●	●/◐	●/●	
R/LTG4.098.05.4215		15	0.05					18		32.25	●/●	●/◐	●/●	
R/LTG4.098.05.4220		20						23		37.25	●/●	●/◐	●/●	
R/LTG4.098.05.4225		25						28		42.25	●/●	●/◐	●/●	
R/LTG4.098.15.4210	4.2	10	0.15	0.3	3.95	1.95	3.45	13	4	27.25	●/●	●/◐	●/●	●/-
R/LTG4.098.15.4215		15						18		32.25	●/●	●/◐	●/●	●/-
R/LTG4.098.15.4220		20						23		37.25	●/●	●/◐	●/●	●/-
R/LTG4.098.15.4225		25						28		42.25	●/●	●/◐	●/●	●/-
R/LTG5.098.05.5220	5.2	20	0.05	0.5	4.95	2.45	4.30	23	5	42.25	●/●	●/◐	●/●	
R/LTG5.098.05.5230		30						33		52.25	●/●	●/◐	●/●	
R/LTG5.098.20.5210	5.2	10	0.2	0.5	4.95	2.45	4.30	13	5	32.25	●/●	●/◐	●/●	●/-
RTG5.098.20.5215		15						18		37.25	●/●	●/◐	●/●	
R/LTG5.098.20.5220		20						23		42.25	●/●	●/◐	●/●	●/-
R/LTG5.098.20.5225		25						28		47.25	●/●	●/◐	●/●	●/-
R/LTG5.098.20.5230		30						33		52.25	●/●	●/◐	●/●	●/-
R/LTG5.098.20.5235		35						38		57.25	●/●	●/◐	●/●	
R/LTG5.098.20.5240		40						43		62.25	●/●	●/◐	●/●	

内孔镗刀 Boring






图示为右手
Right hand shown


●：库存品 on stock ◐：1周 1week ○：3周 3weeks
▲：首选推荐 main recommendation △：备选推荐 alternative recommendation

P	▲			
M	▲	▲		
K				
N			▲	
S		▲		
H		△		▲

型号 Order Number	Dmin	L2	R	Tmax	a	f	WB	L1	$DCON_{MS}$	LF	库存 Stock			
											TA61	TD61	M6	CB10
R/LTG6.098.05.6220	6.2	20	0.05	0.5	5.95	2.95	5.35	23	6	42.25	●/●	●/◐	●/●	
R/LTG6.098.20.6215		15	0.2					18		37.25	●/●	●/◐	●/●	●/-
R/LTG6.098.20.6220		20						23		42.25	●/●	●/◐	●/●	●/-
R/LTG6.098.20.6225		25						28		47.25	●/●	●/◐	●/●	●/-
R/LTG6.098.20.6230		30						33		52.25	●/●	●/◐	●/●	●/-
R/LTG6.098.20.6235		35						38		57.25	●/●	●/◐	●/●	
R/LTG6.098.20.6240		40						43		62.25	●/●	●/◐	●/●	●/-
R/LTG7.098.20.7225	7.2	25	0.2	0.5	6.95	3.45	6.25	28	7	47.25	●/●	●/◐	●/●	●/-
R/LTG7.098.20.7230		30						33		52.25	●/●	●/◐	●/●	●/-
R/LTG7.098.20.7240		40						43		62.25	●/●	●/◐	●/●	●/-
R/LTG7.098.20.7245		45						48		67.25	●/●	●/◐	●/●	
R/LTG7.098.20.7250		50						53		72.25	●/●	●/◐	●/●	●/-

内孔镗刀 Boring





图示为右手
Right hand shown


带有断屑槽
With Chip Breaker


P	▲			
M	▲	▲		
K				
N			▲	
S		▲		
H		△		▲

●：库存品 on stock ◐：1周 1week ○：3周 3weeks
▲：首选推荐 main recommendation △：备选推荐 alternative recommendation

型号 Order Number	Dmin	L2	R	Tmax	a	f	WB	L1	DCON$_{MS}$	LF	库存 Stock			
											TA61	TD61	M6	CB10
R/LTG4.098A08.4230	4.2	30	0.08	0.3	3.95	1.95	3.55	38	4	52.25	●/●	●/◐	●/●	
R/LTG4.098A15.4210		10	0.15	0.1			3.8	13		27.25	●/●	●/◐	●/●	
R/LTG4.098A15.4220		20		0.1			3.8	23		37.25	●/●	●/◐	●/●	
R/LTG4.098A15.4225		25		0.4			3.45	28		42.25	●/●	●/◐	●/●	
R/LTG4.098A20.4215		15	0.2	0.8			3.05	18		32.25	●/●	●/◐	●/●	
R/LTG5.098A08.5240	5.2	40	0.08	0.3	4.95	2.45	4.55	43	5	62.25	●/●	●/◐	●/●	
R/LTG5.098A20.5210		10	0.2	0.1			4.75	13		32.25	●/●	●/◐	●/●	
R/LTG5.098A20.5215		15		0.6			4.25	18		37.25	●/●	●/◐	●/●	
R/LTG5.098A20.5220		20		0.1				23		42.25	●/●	●/◐	●/●	
R/LTG5.098A20.5225		25		0.1			4.75	28		47.25	●/●	●/◐	●/●	
R/LTG5.098A20.5230		30		0.1				33		52.25	●/●	●/◐	●/●	

内孔镗刀 Boring





图示为右手
Right hand shown


带有断屑槽
With Chip Breaker


P	▲			
M	▲	▲		
K				
N			▲	
S		▲		
H		△		▲

●：库存品 on stock ◐：1周 1week ○：3周 3weeks
▲：首选推荐 main recommendation △：备选推荐 alternative recommendation

型号 Order Number	Dmin	L2	R	Tmax	a	f	WB	L1	DCON$_{MS}$	LF	库存 Stock			
											TA61	TD61	M6	CB10
R/LTG6.098A08.6245	6.2	45	0.08	0.35	5.95	2.95	5.5	53	6	72.25	●/●	●/◐	●/●	
R/LTG6.098A20.6215		15	0.2	0.15			5.7	18		37.25	●/●	●/◐	●/●	
R/LTG6.098A20.6220		20						23		42.25	●/●	●/◐	●/●	
R/LTG6.098A20.6225		25						28		47.25	●/●	●/◐	●/●	
R/LTG6.098A20.6230		30		0.15				33		52.25	●/●	●/◐	●/●	
R/LTG6.098A20.6240		40		0.6			5.25	43		62.25	●/●	●/◐	●/●	
R/LTG7.098A08.7255	7.2	55	0.08	0.35	6.95	3.45	6.5	63	7	82.25	●/●	●/◐	●/●	
R/LTG7.098A20.7225		25	0.2	0.25			6.60	28		47.25	●/●	●/◐	●/●	
R/LTG7.098A20.7230		30						33		52.25	●/●	●/◐	●/●	
R/LTG7.098A20.7240		40		0.25				43		62.25	●/●	●/◐	●/●	

内孔镗刀 Boring





图示为右手
Right hand shown


90°主偏角
90° cutting edge angle


P	▲			
M	▲	▲		
K				
N			▲	
S		▲		
H		△		▲

●：库存品 on stock ◐：1周 1week ○：3周 3weeks
▲：首选推荐 main recommendation △：备选推荐 alternative recommendation

型号 Order Number	Dmin	L2	R	Tmax	a	f	WB	L1	DCON$_{MS}$	LF	库存 Stock			
											TA61	TD61	M6	CB10
R/LTG4.090.15.3212	3.2	12	0.15	0.2	2.95	1.5	2.55	15	4	29.25	●/●	●/◐	●/●	
R/LTG4.090.15.4215	4.2	15	0.15	0.3	3.95	1.95	3.45	18	4	32.25	●/●	●/◐	●/●	
R/LTG5.090.20.5210	5.2	10	0.2	0.5	4.95	2.45	4.25	13	5	32.25	●/●	●/◐	●/●	
R/LTG5.090.20.5215		15						18		37.25	●/●	●/◐	●/●	
R/LTG5.090.20.5220		20						23		42.25	●/●	●/◐	●/●	

内孔镗刀 Boring





图示为右手
Right hand shown


47°副偏角
47° minor cutting edge angle


P	▲			
M	▲	▲		
K				
N			▲	
S		▲		
H		△		▲

●：库存品 on stock ◐：1周 1week ○：3周 3weeks
▲：首选推荐 main recommendation △：备选推荐 alternative recommendation

型号 Order Number	Dmin	L2	R	Tmax	a	f	WB	L1	DCON$_{MS}$	LF	库存 Stock			
											TA61	TD61	M6	CB10
R/LTG4.E98.15.4220	4.2	20	0.15	0.8	3.95	1.95	2.95	23	4	37.25	●/●	●/◐	●/●	
R/LTG5.E98.15.5225	5.2	25	0.15	1	4.95	2.45	3.75	28	5	47.25	●/●	●/◐	●/●	
R/LTG6.E98.15.6230	6.2	30	0.15	1.8	5.95	2.95	3.95	33	6	52.25	●/●	●/◐	●/●	
R/LTG7.E98.20.7240	7.2	40	0.2	2.5	6.95	3.45	4.2	43	7	62.25	●/●	●/◐	●/●	

内孔槽刀 Internal grooving






图示为右手
Right hand shown


●：库存品 on stock ◐：1周 1week ○：3周 3weeks
▲：首选推荐 main recommendation △：备选推荐 alternative recommendation

P	▲		
M	▲	▲	
K			
N			▲
S		▲	
H		△	

型号 Order Number	Dmin	W	C	L2	Tmax	a	f	WB	L1	$DCON_{MS}$	LF	库存 Stock		
												TA61	TD61	M6
R/LTG4.G050.2006	2	0.5	0	6	0.4	1.75	0.85	1.15	13	4	27.25	●/●	●/◐	●/●
R/LTG4.G050.2009				9					13		27.25	●/●	●/◐	●/●
R/LTG4.G050.2012				12					18		32.25	●/●	●/◐	●/●
R/LTG4.G070.3008	3	0.7	0.04	8	0.6	2.75	1.35	1.95	11	4	25.25	●/●	●/◐	●/●
R/LTG4.G070.3012				12					15		29.25	●/●	●/◐	●/●
R/LTG4.G070.3016				16					19		33.25	●/●	●/◐	●/●
R/LTG4.G100.4210	4.2	1	0.04	10	0.8	3.95	1.95	2.95	13	4	27.25	●/●	●/◐	●/●
R/LTG4.G100.4215				15					18		32.25	●/●	●/◐	●/●
R/LTG4.G100.4220				20					23		37.25	●/●	●/◐	●/●

内孔槽刀 Internal grooving






图示为右手
Right hand shown


●：库存品 on stock ◐：1周 1week ○：3周 3weeks
▲：首选推荐 main recommendation △：备选推荐 alternative recommendation

P	▲		
M	▲	▲	
K			
N			▲
S		▲	
H		△	

型号 Order Number	Dmin	W	C	L2	Tmax	a	f	WB	L1	$DCON_{MS}$	LF	库存 Stock		
												TA61	TD61	M6
R/LTG5.G100.5210	5.2	1	0.04	10	1	4.95	2.45	3.8	13	5	32.25	●/●	●/◐	●/●
R/LTG5.G100.5215				15					18		37.25	●/●	●/◐	●/●
R/LTG5.G100.5220				20					23		42.25	●/●	●/◐	●/●
R/LTG5.G100.5225				25					28		47.25	●/●	●/◐	●/●
R/LTG5.G100.5230				30					33		52.25	●/●	●/◐	●/●
R/LTG5.G100.5235				35					38		57.25	●/●	●/◐	●/●
R/LTG5.G150.5210	5.2	1.5	0.04	10	1	4.95	2.45	3.8	13	5	32.25	●/●	●/◐	●/●
R/LTG5.G150.5215				15					18		37.25	●/●	●/◐	●/●
R/LTG5.G150.5220				20					23		42.25	●/●	●/◐	●/●
R/LTG5.G150.5225				25					28		47.25	●/●	●/◐	●/●
R/LTG5.G150.5230				30					33		52.25	●/●	●/◐	●/●
R/LTG5.G150.5235				35					38		57.25	●/●	●/◐	●/●
R/LTG5.G200.5210	5.2	2	0.04	10	1	4.95	2.45	3.8	13	5	32.25	●/●	●/◐	●/●
R/LTG5.G200.5215				15					18		37.25	●/●	●/◐	●/●
R/LTG5.G200.5220				20					23		42.25	●/●	●/◐	●/●
R/LTG5.G200.5225				25					28		47.25	●/●	●/◐	●/●
R/LTG5.G200.5230				30					33		52.25	●/●	●/◐	●/●

内孔槽刀 Internal grooving





图示为右手

Right hand shown


P	▲		
M	▲	▲	
K			
N			▲
S		▲	
H		△	


●：库存品 on stock ◐：1周 1week ○：3周 3weeks

▲：首选推荐 main recommendation △：备选推荐 alternative recommendation

型号 Order Number	Dmin	W	C	L2	Tmax	a	f	WB	L1	DCON$_{MS}$	LF	库存 Stock		
												TA61	TD61	M6
R/LTG6.G100.6210	6.2	1	0.04	10	1.8	5.95	2.95	4	13	6	32.25	●/●	●/◐	●/●
R/LTG6.G100.6215				15					18		37.25	●/●	●/◐	●/●
R/LTG6.G100.6220				20					23		42.25	●/●	●/◐	●/●
R/LTG6.G100.6225				25					28		47.25	●/●	●/◐	●/●
R/LTG6.G100.6230				30					33		52.25	●/●	●/◐	●/●
R/LTG6.G100.6235				35					38		57.25	●/●	●/◐	●/●
R/LTG6.G100.6240				40					43		62.25	●/●	●/◐	●/●
R/LTG6.G150.6210	6.2	1.5	0.04	10	1.8	5.95	2.95	4	13	6	32.25	●/●	●/◐	●/●
R/LTG6.G150.6215				15					18		37.25	●/●	●/◐	●/●
R/LTG6.G150.6220				20					23		42.25	●/●	●/◐	●/●
R/LTG6.G150.6225				25					28		47.25	●/●	●/◐	●/●
R/LTG6.G150.6230				30					33		52.25	●/●	●/◐	●/●
R/LTG6.G150.6235				35					38		57.25	●/●	●/◐	●/●
R/LTG6.G200.6210	6.2	2	0.04	10	1.8	5.95	2.95	4	13	6	32.25	●/●	●/◐	●/●
R/LTG6.G200.6215				15					18		37.25	●/●	●/◐	●/●
R/LTG6.G200.6220				20					23		42.25	●/●	●/◐	●/●
R/LTG6.G200.6225				25					28		47.25	●/●	●/◐	●/●
R/LTG6.G200.6230				30					33		52.25	●/●	●/◐	●/●

内孔槽刀 Internal grooving





图示为右手

Right hand shown


P	▲		
M	▲	▲	
K			
N			▲
S		▲	
H		△	


●：库存品 on stock ◐：1周 1week ○：3周 3weeks

▲：首选推荐 main recommendation △：备选推荐 alternative recommendation

型号 Order Number	Dmin	W	C	L2	Tmax	a	f	WB	L1	$DCON_{MS}$	LF	库存 Stock		
												TA61	TD61	M6
R/LTG7.G100.7210	7.2	1	0.04	10	2.5	6.95	3.45	4.3	13	7	32.25	●/●	●/◐	●/●
R/LTG7.G100.7215				15					18		37.25	●/●	●/◐	●/●
R/LTG7.G100.7220				20					23		42.25	●/●	●/◐	●/●
R/LTG7.G100.7225				25					28		47.25	●/●	●/◐	●/●
R/LTG7.G100.7230				30					33		52.25	●/●	●/◐	●/●
R/LTG7.G100.7235				35					38		57.25	●/●	●/◐	●/●
R/LTG7.G100.7240				40					43		62.25	●/●	●/◐	●/●
R/LTG7.G150.7210	7.2	1.5	0.04	10	2.5	6.95	3.45	4.3	13	7	32.25	●/●	●/◐	●/●
R/LTG7.G150.7215				15					18		37.25	●/●	●/◐	●/●
R/LTG7.G150.7220				20					23		42.25	●/●	●/◐	●/●
R/LTG7.G150.7225				25					28		47.25	●/●	●/◐	●/●
R/LTG7.G150.7230				30					33		52.25	●/●	●/◐	●/●
R/LTG7.G150.7235				35					38		57.25	●/●	●/◐	●/●
R/LTG7.G150.7240				40					43		62.25	●/●	●/◐	●/●
R/LTG7.G200.7210	7.2	2	0.04	10	2.5	6.95	3.45	4.3	13	7	32.25	●/●	●/◐	●/●
R/LTG7.G200.7215				15					18		37.25	●/●	●/◐	●/●
R/LTG7.G200.7220				20					23		42.25	●/●	●/◐	●/●
R/LTG7.G200.7225				25					28		47.25	●/●	●/◐	●/●
R/LTG7.G200.7230				30					33		52.25	●/●	●/◐	●/●
R/LTG7.G200.7235				35					38		57.25	●/●	●/◐	●/●

内孔槽刀 Internal grooving





图示为右手
Right hand shown


卡簧槽专用
For circlip grooves


P	▲		
M	▲	▲	
K			
N			▲
S		▲	
H		△	

●：库存品 on stock ◐：1周 1week ○：3周 3weeks
▲：首选推荐 main recommendation △：备选推荐 alternative recommendation

型号 Order Number	Dmin	W	C	L2	Tmax	a	f	WB	L1	$DCON_{MS}$	LF	库存 Stock		
												TA61	TD61	M6
R/LTG4.G078.4210	4.2	0.78	0.04	10	0.8	3.95	1.95	2.95	13	4	27.25	●/●	●/◐	●/●
R/LTG4.G078.4215				15					18		32.25	●/●	●/◐	●/●
R/LTG4.G078.4220				20					23		37.25	●/●	●/◐	●/●
R/LTG4.G078.4225				25					28		42.25	●/●	●/◐	●/●
R/LTG5.G078.5210	5.2	0.78	0.04	10	1	4.95	2.45	3.8	13	5	32.25	●/●	●/◐	●/●
R/LTG5.G078.5215				15					18		37.25	●/●	●/◐	●/●
R/LTG5.G078.5220				20					23		42.25	●/●	●/◐	●/●
R/LTG5.G078.5225				25					28		47.25	●/●	●/◐	●/●
R/LTG5.G078.5230				30					33		52.25	●/●	●/◐	●/●
R/LTG5.G078.5235				35					38		57.25	●/●	●/◐	●/●
R/LTG5.G117.5210	5.2	1.17	0.04	10	1	4.95	2.45	3.8	13	5	32.25	●/●	●/◐	●/●
R/LTG5.G117.5215				15					18		37.25	●/●	●/◐	●/●
R/LTG5.G117.5220				20					23		42.25	●/●	●/◐	●/●
R/LTG5.G117.5225				25					28		47.25	●/●	●/◐	●/●
R/LTG5.G117.5230				30					33		52.25	●/●	●/◐	●/●
R/LTG5.G117.5235				35					38		57.25	●/●	●/◐	●/●
R/LTG5.G157.5210	5.2	1.57	0.04	10	1	4.95	2.45	3.8	13	5	32.25	●/●	●/◐	●/●
R/LTG5.G157.5215				15					18		37.25	●/●	●/◐	●/●
R/LTG5.G157.5220				20					23		42.25	●/●	●/◐	●/●
R/LTG5.G157.5225				25					28		47.25	●/●	●/◐	●/●
R/LTG5.G157.5230				30					33		52.25	●/●	●/◐	●/●

内孔槽刀 Internal grooving





图示为右手
Right hand shown


卡簧槽专用
For circlip grooves


P	▲		
M	▲	▲	
K			
N			▲
S		▲	
H		△	

●：库存品 on stock ◐：1周 1week ○：3周 3weeks
▲：首选推荐 main recommendation △：备选推荐 alternative recommendation

型号 Order Number	Dmin	W	C	L2	Tmax	a	f	WB	L1	$DCON_{MS}$	LF	库存 Stock		
												TA61	TD61	M6
R/LTG5.G198.5210	5.2	1.98	0.04	10	1	4.95	2.45	3.8	13	5	32.25	●/●	●/◐	●/●
R/LTG5.G198.5215				15					18		37.25	●/●	●/◐	●/●
R/LTG5.G198.5220				20					23		42.25	●/●	●/◐	●/●
R/LTG5.G198.5225				25					28		47.25	●/●	●/◐	●/●
R/LTG5.G198.5230				30					33		52.25	●/●	●/◐	●/●
R/LTG6.G078.6210	6.2	0.78	0.04	10	1.8	5.95	2.95	4	13	6	32.25	●/●	●/◐	●/●
R/LTG6.G078.6215				15					18		37.25	●/●	●/◐	●/●
R/LTG6.G078.6220				20					23		42.25	●/●	●/◐	●/●
R/LTG6.G078.6225				25					28		47.25	●/●	●/◐	●/●
R/LTG6.G078.6230				30					33		52.25	●/●	●/◐	●/●
R/LTG6.G078.6235				35					38		57.25	●/●	●/◐	●/●
R/LTG6.G117.6210	6.2	1.17	0.04	10	1.8	5.95	2.95	4	13	6	32.25	●/●	●/◐	●/●
R/LTG6.G117.6215				15					18		37.25	●/●	●/◐	●/●
R/LTG6.G117.6220				20					23		42.25	●/●	●/◐	●/●
R/LTG6.G117.6225				25					28		47.25	●/●	●/◐	●/●
R/LTG6.G117.6230				30					33		52.25	●/●	●/◐	●/●
R/LTG6.G117.6235				35					38		57.25	●/●	●/◐	●/●
R/LTG6.G117.6240				40					43		62.25	●/●	●/◐	●/●

内孔槽刀 Internal grooving





图示为右手
Right hand shown


卡簧槽专用
For circlip grooves


P	▲		
M	▲	▲	
K			
N			▲
S		▲	
H		△	

●：库存品 on stock ◐：1周 1week ○：3周 3weeks
▲：首选推荐 main recommendation △：备选推荐 alternative recommendation

型号 Order Number	Dmin	W	C	L2	Tmax	a	f	WB	L1	$DCON_{MS}$	LF	库存 Stock		
												TA61	TD61	M6
R/LTG6.G157.6210	6.2	1.57	0.04	10	1.8	5.95	2.95	4	13	6	32.25	●/●	●/◐	●/●
R/LTG6.G157.6215				15					18		37.25	●/●	●/◐	●/●
R/LTG6.G157.6220				20					23		42.25	●/●	●/◐	●/●
R/LTG6.G157.6225				25					28		47.25	●/●	●/◐	●/●
R/LTG6.G157.6230				30					33		52.25	●/●	●/◐	●/●
R/LTG6.G157.6235				35					38		57.25	●/●	●/◐	●/●
R/LTG6.G157.6240				40					43		62.25	●/●	●/◐	●/●
R/LTG6.G198.6210	6.2	1.98	0.04	10	1.8	5.95	2.95	4	13	6	32.25	●/●	●/◐	●/●
R/LTG6.G198.6215				15					18		37.25	●/●	●/◐	●/●
R/LTG6.G198.6225				25					23		47.25	●/●	●/◐	●/●
R/LTG6.G198.6235				35					28		57.25	●/●	●/◐	●/●
R/LTG7.G078.7210	7.2	0.78	0.04	10	2.5	6.95	3.45	4.30	13	7	32.25	●/●	●/◐	●/●
R/LTG7.G078.7215				15					18		37.25	●/●	●/◐	●/●
R/LTG7.G078.7220				20					23		42.25	●/●	●/◐	●/●
R/LTG7.G078.7225				25					28		47.25	●/●	●/◐	●/●
R/LTG7.G078.7230				30					33		52.25	●/●	●/◐	●/●
R/LTG7.G078.7235				35					38		57.25	●/●	●/◐	●/●
R/LTG7.G078.7240				40					43		62.25	●/●	●/◐	●/●

内孔槽刀 Internal grooving





图示为右手
Right hand shown


卡簧槽专用
For circlip grooves


P	▲		
M	▲	▲	
K			
N			▲
S		▲	
H		△	

●：库存品 on stock ◐：1周 1week ○：3周 3weeks
▲：首选推荐 main recommendation △：备选推荐 alternative recommendation

型号 Order Number	Dmin	W	C	L2	Tmax	a	f	WB	L1	DCON$_{MS}$	LF	库存 Stock		
												TA61	TD61	M6
R/LTG7.G117.7210	7.2	1.17	0.04	10	2.5	6.95	3.45	4.30	13	7	32.25	●/●	●/◐	●/●
R/LTG7.G117.7215				15					18		37.25	●/●	●/◐	●/●
R/LTG7.G117.7220				20					23		42.25	●/●	●/◐	●/●
R/LTG7.G117.7225				25					28		47.25	●/●	●/◐	●/●
R/LTG7.G117.7230				30					33		52.25	●/●	●/◐	●/●
R/LTG7.G117.7235				35					38		57.25	●/●	●/◐	●/●
R/LTG7.G117.7240				40					43		62.25	●/●	●/◐	●/●
R/LTG7.G157.7210	7.2	1.57	0.04	10	2.5	6.95	3.45	4.30	13	7	32.25	●/●	●/◐	●/●
R/LTG7.G157.7215				15					18		37.25	●/●	●/◐	●/●
R/LTG7.G157.7220				20					23		42.25	●/●	●/◐	●/●
R/LTG7.G157.7225				25					28		47.25	●/●	●/◐	●/●
R/LTG7.G157.7230				30					33		52.25	●/●	●/◐	●/●
R/LTG7.G157.7235				35					38		57.25	●/●	●/◐	●/●
R/LTG7.G157.7240				40					43		62.25	●/●	●/◐	●/●
R/LTG7.G198.7210	7.2	1.98	0.04	10	2.5	6.95	3.45	4.30	13	7	32.25	●/●	●/◐	●/●
R/LTG7.G198.7215				15					18		37.25	●/●	●/◐	●/●
R/LTG7.G198.7220				20					23		42.25	●/●	●/◐	●/●
R/LTG7.G198.7225				25					28		47.25	●/●	●/◐	●/●
R/LTG7.G198.7230				30					33		52.25	●/●	●/◐	●/●
R/LTG7.G198.7235				35					38		57.25	●/●	●/◐	●/●

内孔槽刀 Internal grooving





图示为右手
Right hand shown


圆弧槽刀
Full radius


P	▲		
M	▲	▲	
K			
N			▲
S		▲	
H		△	

●：库存品 on stock ◐：1周 1week ○：3周 3weeks
▲：首选推荐 main recommendation △：备选推荐 alternative recommendation

型号 Order Number	Dmin	W	R	L2	Tmax	a	f	WB	L1	DCON$_{MS}$	LF	库存 Stock		
												TA61	TD61	M6
R/LTG4.R100.4215	4.2	1	0.5	15	0.8	3.95	1.95	2.95	18	4	32.25	●/●	●/◐	●/●
R/LTG5.R100.5220	5.2	1	0.5									●/●	●/◐	●/●
R/LTG5.R150.5220	5.2	1.5	0.75	20	1	4.95	2.45	3.75	23	5	42.25	●/●	●/◐	●/●
R/LTG5.R200.5220	5.2	2	1									●/●	●/◐	●/●
R/LTG6.R100.6225	6.2	1	0.5									●/●	●/◐	●/●
R/LTG6.R150.6225	6.2	1.5	0.75	25	1.8	5.95	2.95	3.95	28	6	47.25	●/●	●/◐	●/●
R/LTG6.R200.6225	6.2	2	1									●/●	●/◐	●/●
R/LTG7.R100.7230	7.2	1	0.5									●/●	●/◐	●/●
R/LTG7.R150.7230	7.2	1.5	0.75	30	2.5	6.95	3.45	4.30	33	7	52.25	●/●	●/◐	●/●
R/LTG7.R200.7230	7.2	2	1									●/●	●/◐	●/●

内孔槽刀 Internal grooving





图示为右手
Right hand shown

圆弧槽刀
Full radius


卡簧槽专用
For circlip grooves


P	▲		
M	▲	▲	
K			
N			▲
S		▲	
H		△	

●：库存品 on stock ◐：1周 1week ○：3周 3weeks
▲：首选推荐 main recommendation △：备选推荐 alternative recommendation

型号 Order Number	Dmin	W	R	L2	Tmax	a	f	WB	L1	$DCON_{MS}$	LF	库存 Stock		
												TA61	TD61	M6
R/LTG4.R058.4215	4.2	1.17	0.58	15	0.8	3.95	1.95	2.95	18	4	32.25	●/●	●/◐	●/●
R/LTG5.R058.5220	5.2	1.17	0.58	20	1	4.95	2.45	3.75	23	5	42.25	●/●	●/◐	●/●
R/LTG5.R081.5220		1.63	0.81									●/●	●/◐	●/●
R/LTG5.R099.5220		1.98	0.99									●/●	●/◐	●/●
R/LTG6.R058.6225	6.2	1.17	0.58	25	1.8	5.95	2.95	3.95	28	6	47.25	●/●	●/◐	●/●
R/LTG6.R081.6225		1.63	0.81									●/●	●/◐	●/●
R/LTG6.R099.6225		1.98	0.99									●/●	●/◐	●/●
R/LTG7.R058.7230	7.2	1.17	0.58	30	2.5	6.95	3.45	4.25	33	7	52.25	●/●	●/◐	●/●
R/LTG7.R081.7230		1.63	0.81									●/●	●/◐	●/●
R/LTG7.R099.7230		1.98	0.99									●/●	●/◐	●/●

内孔螺纹刀 Internal threading





图示为右手
Right hand shown


公制 ISO 60° 范围牙型
Metric ISO 60° Partial profile


P	▲		
M	▲	▲	
K			
N			▲
S		▲	
H		△	

●：库存品 on stock ◐：1周 1week ○：3周 3weeks
▲：首选推荐 main recommendation △：备选推荐 alternative recommendation

型号 Order Number	Dmin	L2	P	Pmax	E	CF	a	f	WB	L1	$DCON_{MS}$	LF	库存 Stock		
													TA61	TD61	M6
RTG4.H040VM.1505	1.57	5.1	0.4	-	0.20	0.05	1.4	1.95	0.98	13	4	27.25	●/●	●/◐	●/●
RTG4.H050VM.2407	2.46	7.6	0.5	-	0.24	0.06	2.2	1.95	1.73	13	4	27.25	●/●	●/◐	●/●
RTG4.H070VM.3215	3.24	15.2	0.7	-	0.32	0.08	2.95	1.95	2.37	18	4	32.25	●/●	●/◐	●/●
RTG4.H080VM.3915	3.9	15.2	0.8	1	0.45	0.10	3.65	1.95	2.70	18	4	32.25	●/●	●/◐	●/●
R/LTG4.H050VM.4215	4.2	15	0.5	0.7	0.4	0.06	3.95	1.95	3	18	4	32.25	●/●	●/◐	●/●
RTG5.H050VM.5215	5.2	15	0.5	0.75	0.4	0.06	4.95	2.45	3.75	18	5	37.25	●/●	●/◐	●/●
RTG5.H070VM.5115	5.1	15	0.7	1	0.45	0.09	4.85	2.40	3.65	18	5	37.25	●/●	●/◐	●/●
R/LTG5.H100VM.4815	4.8	15	1	1.25	0.55	0.12	4.55	2.25	3.55	18	5	37.25	●/●	●/◐	●/●
RTG6.H100VM.6215	6.2	15	1	1.25	0.60	0.12	5.95	2.95	3.95	18	6	37.25	●/●	●/◐	●/●
R/LTG6.H125VM.6215	6.2	15	1.25	1.5	0.65	0.14	5.95	2.95	3.95	18	6	37.25	●/●	●/◐	●/●
R/LTG6.H150VM.6215	6.2	15	1.5	1.75	0.8	0.18	5.95	2.95	3.95	18	6	37.25	●/●	●/◐	●/●

内孔螺纹刀 Internal threading





图示为右手
Right hand shown


公制 ISO 60°全牙型
Metric ISO 60° Full profile


P	▲		
M	▲	▲	
K			
N			▲
S		▲	
H		△	

●：库存品 on stock ◐：1周 1week ○：3周 3weeks
▲：首选推荐 main recommendation △：备选推荐 alternative recommendation

型号 Order Number	Dmin	L2	P	E	CF	a	f	WB	L1	DCON$_{MS}$	LF	库存 Stock		
												TA61	TD61	M6
RTG4.H070MM.3215	3.2	15.2	0.7	0.45	0.08	2.95	1.95	2.35	18	4	32.25	●/●	●/◐	●/●
RTG4.H050MM.4215	4.2	15	0.5	0.4	0.06	3.9	1.9	3.5	18	4	32.25	●/●	●/◐	●/●
RTG4.H070MM.4215	4.2	15	0.7	0.5	0.08	3.9	1.9	3.2	18	4	32.25	●/●	●/◐	●/●
RTG4.H080MM.4015	4	15	0.8	0.5	0.1	3.75	1.85	3	18	4	32.25	●/●	●/◐	●/●
RTG5.H050MM.5215	5.2	15	0.5	0.4	0.06	4.95	2.45	4.45	18	5	37.25	●/●	●/◐	●/●
RTG5.H075MM.5115	5.1	15	0.75	0.5	0.09	4.85	2.4	4.15	18	5	37.25	●/●	●/◐	●/●
RTG5.H100MM.4815	4.8	15	1	0.6	0.12	4.45	2.25	3.55	18	5	37.25	●/●	●/◐	●/●
RTG6.H100MM.6215	6.2	15	1	0.6	0.12	5.95	2.95	4.95	18	6	37.25	●/●	●/◐	●/●
RTG6.H125MM.6215	6.2	15	1.25	0.7	0.15	5.95	2.95	4.8	18	6	37.25	●/●	●/◐	●/●
RTG6.H150MM.6215	6.2	15	1.5	0.8	0.18	5.95	2.95	4.5	18	6	37.25	●/●	●/◐	●/●
RTG6.H175MM.6215	6.2	15	1.75	0.9	0.21	5.95	2.95	4.3	18	6	37.25	●/●	●/◐	●/●
RTG6.H200MM.6215	6.2	15	2	1	0.25	5.95	2.95	4.1	18	6	37.25	●/●	●/◐	●/●

内孔螺纹刀 Internal threading





图示为右手
Right hand shown


UN 60° 全牙型
UN 60° Full profile


P	▲		
M	▲	▲	
K			
N			▲
S		▲	
H		△	

●：库存品 on stock ◐：1周 1week ○：3周 3weeks
▲：首选推荐 main recommendation △：备选推荐 alternative recommendation

型号 Order Number	Dmin	L2	TPI	E	CF	a	f	WB	L1	DCON$_{MS}$	LF	库存 Stock		
												TA61	TD61	M6
RTG4.H320UN.4015	4	15	32	0.55	0.1	3.75	1.85	2.95	18	4	32.25	●/●	●/◐	●/●
RTG4.H280UN.4015	4	15	28	0.6	0.11	3.75	1.85	2.95	18	4	32.25	●/●	●/◐	●/●
RTG4.H240UN.4215	4.2	15	24	0.65	0.13	3.95	1.95	3.05	18	4	32.25	●/●	●/◐	●/●
RTG5.H200UN.5215	5.2	15	20	0.7	0.16	4.95	2.45	3.95	18	5	37.25	●/●	●/◐	●/●
RTG6.H180UN.6215	6.2	15	18	0.75	0.18	5.95	2.95	4.85	18	6	37.25	●/●	●/◐	●/●
RTG6.H160UN.6215	6.2	15	16	0.80	0.2	5.95	2.95	4.75	18	6	37.25	●/●	●/◐	●/●

内孔螺纹刀 Internal threading





图示为右手
Right hand shown


WH 惠氏 55°全牙型
Whitworth 55° Full profile（BSW，BSF，BSP）


P	▲		
M	▲	▲	
K			
N			▲
S		▲	
H		△	

●：库存品 on stock ◐：1周 1week ○：3周 3weeks
▲：首选推荐 main recommendation △：备选推荐 alternative recommendation

型号 Order Number	Dmin	L2	TPI	R	E	H	a	f	WB	L1	$DCON_{MS}$	LF	库存 Stock		
													TA61	TD61	M6
RTG5.H28WH.5215	5.2	15	28	0.12	0.8	0.58	4.95	2.45	3.75	18	5	37.25	●/●	●/◐	●/●
RTG5.H26WH.5215	5.2	15	26	0.15	0.8	0.63	4.95	2.45	3.75	18	5	37.25	●/●	●/◐	●/●
RTG5.H24WH.5215	5.2	15	24	0.15	0.8	0.68	4.95	2.45	3.75	18	5	37.25	●/●	●/◐	●/●
RTG6.H28WH.6215	6.2	15	28	0.12	0.8	0.58	5.95	2.95	3.95	18	6	37.25	●/●	●/◐	●/●
RTG6.H26WH.6215	6.2	15	26	0.13	0.8	0.63	5.95	2.95	3.95	18	6	37.25	●/●	●/◐	●/●
RTG6.H24WH.6215	6.2	15	24	0.15	0.8	0.68	5.95	2.95	3.95	18	6	37.25	●/●	●/◐	●/●
RTG6.H22WH.6215	6.2	15	22	0.16	1	0.74	5.95	2.95	3.95	18	6	37.25	●/●	●/◐	●/●
RTG6.H20WH.6215	6.2	15	20	0.17	1	0.81	5.95	2.95	3.95	18	6	37.25	●/●	●/◐	●/●
R/LTG6.H19WH.6215	6.2	15	19	0.18	1	0.86	5.95	2.95	3.95	18	6	37.25	●/●	●/◐	●/●

内孔螺纹刀 Internal threading





图示为右手
Right hand shown


NPT 60° Partial profile·NPTG, 型 NPTR, LINE PIPE)


P	▲		
M	▲	▲	
K			
N			▲
S		▲	
H		△	

●：库存品 on stock ◐：1周 1week ○：3周 3weeks
▲：首选推荐 main recommendation △：备选推荐 alternative recommendation

型号 Order Number	Dmin	L2	TPI	CF	E	a	f	WB	L1	$DCON_{MS}$	LF	库存 Stock		
												TA61	TD61	M6
RTG6.H27NT.6215	6.2	15	27	0.07	0.8	5.95	2.95	4.25	18	6	37.25	●/●	●/◐	●/●
R/LTG6.H18NT.6215	6.2	15	18	0.1	1	5.95	2.95	3.95	18	6	37.25	●/●	●/◐	●/●

内孔螺纹刀 Internal threading





图示为右手
Right hand shown


ISO30°梯形螺纹
Metric ISO 30° Trapezoidal


P	▲		
M	▲	▲	
K			
N			▲
S		▲	
H		△	

●：库存品 on stock ◐：1周 1week ○：3周 3weeks
▲：首选推荐 main recommendation △：备选推荐 alternative recommendation

型号 Order Number	Dmin	L2	P	E	CF	a	f	WB	L1	$DCON_{MS}$	LF	库存 Stock		
												TA61	TD61	M6
RTG6.H150TR.6220	6.2	20	1.5	0.6	0.47	5.95	2.95	4.9	23	6	42.25	●/●	●/◐	●/●
RTG6.H200TR.6220	6.2	20	2	0.75	0.6	5.95	2.95	4.55	23	6	42.25	●/●	●/◐	●/●
RTG7.H300TR.7230	7.2	30	3	1.10	0.96	6.95	3.45	4.6	33	7	52.25	●/●	●/◐	●/●

端面槽刀 Face grooving





图示为右手
Right hand shown


孔内端面槽刀
Face grooving in bores


P	▲		
M	▲	▲	
K			
N			▲
S		▲	
H		△	

●：库存品 on stock ◐：1周 1week ○：3周 3weeks
▲：首选推荐 main recommendation △：备选推荐 alternative recommendation

型号 Order Number	槽外径 Damin	W	R	Tmax	a	L2	f	L1	$DCON_{MS}$	LF	库存 Stock		
											TA61	TD61	M6
R/LTG6.F100.6215A	6.2	1	0.15	2	5.95	15	2.95	18	6	37.25	●/●	●/◐	●/●
R/LTG6.F150.6215A	6.2	1.5	0.15	3	5.95	15	2.95	18	6	37.25	●/●	●/◐	●/●
R/LTG6.F200.6215A	6.2	2	0.15	4	5.95	15	2.95	18	6	37.25	●/●	●/◐	●/●
R/LTG6.F250.6215A	6.2	2.5	0.15	5	5.95	15	2.95	18	6	37.25	●/●	●/◐	●/●
R/LTG6.F300.6215A	6.2	3	0.15	6	5.95	15	2.95	18	6	37.25	●/●	●/◐	●/●

端面槽刀 Face grooving





图示为右手
Right hand shown


大切深端面槽刀
Deep face grooving


P	▲		
M	▲	▲	
K			
N			▲
S		▲	
H		△	

●：库存品 on stock ◐：1周 1week ○：3周 3weeks
▲：首选推荐 main recommendation △：备选推荐 alternative recommendation

型号 Order Number	槽外径 Damin	W	R	Tmax	f	L1	$DCON_{MS}$	LF	库存 Stock		
									TA61	TD61	M6
R/LTG8.F200.8015A	15	2	0.2	15	1.57	20	8	44.25	●/●	●/◐	●/●
R/LTG8.F250.8010A	10	2.5	0.2	10	1.82	15	8	39.25	●/●	●/◐	●/●
R/LTG8.F300.8010A	10	3	0.2	10	2.07	15	8	39.25	●/●	●/◐	●/●
R/LTG8.F300.8015A	15	3	0.2	15	2.07	20	8	44.25	●/●	●/◐	●/●
R/LTG8.F400.8010A	10	4	0.2	10	2.49	15	8	39.25	●/●	●/◐	●/●
R/LTG8.F400.8015A	15	4	0.2	15	2.49	20	8	44.25	●/●	●/◐	●/●
R/LTG10.F300.10020A	20	3	0.2	20	2.07	28	10	52.25	●/●	●/◐	●/●
R/LTG10.F300.10025A	25	3	0.2	25	2.07	33	10	57.25	●/●	●/◐	●/●
R/LTG10.F300.10030A	30	3	0.2	30	2.07	38	10	62.25	●/●	●/◐	●/●
R/LTG10.F400.10020A	20	4	0.2	20	2.65	28	10	52.25	●/●	●/◐	●/●
R/LTG10.F400.10025A	25	4	0.2	25	1.65	33	10	57.25	●/●	●/◐	●/●
R/LTG10.F400.10030A	30	4	0.2	30	2.65	38	10	62.25	●/●	●/◐	●/●
R/LTG10.F500.10020A	20	5	0.2	20	3.1	28	10	52.25	●/●	●/◐	●/●
R/LTG10.F500.10025A	25	5	0.2	25	3.1	33	10	57.25	●/●	●/◐	●/●
R/LTG10.F500.10030A	30	5	0.2	30	3.1	38	10	62.25	●/●	●/◐	●/●

端面槽刀 Face grooving





图示为左手
Left hand shown


中心轴端面槽刀
Face grooving on pivots


P	▲		
M	▲	▲	
K			
N			▲
S		▲	
H		△	

●：库存品 on stock ◐：1周 1week ○：3周 3weeks
▲：首选推荐 main recommendation △：备选推荐 alternative recommendation

型号 Order Number	槽外径 Damin	W	R	Tmax	a	L2	f	L1	$DCON_{MS}$	LF	库存 Stock		
											TA61	TD61	M6
R/LTG6.F100.6215B	6.2	1	0.15	2	5.95	15	2.95	18	6	37.25	●/●	●/◐	●/●
R/LTG6.F150.6215B	6.2	1.5	0.15	3	5.95	15	2.95	18	6	37.25	●/●	●/◐	●/●
R/LTG6.F200.6215B	6.2	2	0.15	4	5.95	15	2.95	18	6	37.25	●/●	●/◐	●/●
R/LTG6.F250.6215B	6.2	2.5	0.15	5	5.95	15	2.95	18	6	37.25	●/●	●/◐	●/●
R/LTG6.F300.6215B	6.2	3	0.15	6	5.95	15	2.95	18	6	37.25	●/●	●/◐	●/●

倒角刀 Chamfering





图示为右手
Right hand shown


镗孔和倒角
Boring and Chamfering


P	▲		
M	▲	▲	
K			
N			▲
S		▲	
H		△	

●：库存品 on stock ◐：1周 1week ○：3周 3weeks
▲：首选推荐 main recommendation △：备选推荐 alternative recommendation

型号 Order Number	Dmin	L2	R	Tmax	a	f	WB	L1	$DCON_{MS}$	LF	库存 Stock		
											TA61	TD61	M6
R/LTG5.T045.20.5215	5.2	15	0.2	0.7	4.95	2.45	3.75	17	5	37.25	●/●	●/◐	●/●
R/LTG5.T045.20.5220		20						22		42.25	●/●	●/◐	●/●
R/LTG6.T045.20.6220	6.2	20	0.2	0.7	5.95	2.95	3.95	22	6	42.25	●/●	●/◐	●/●
R/LTG6.T045.20.6225		25						27		47.25	●/●	●/◐	●/●
R/LTG7.T045.20.7220	7.2	20	0.2	0.7	6.95	3.45	4.25	22	7	42.25	●/●	●/◐	●/●
R/LTG7.T045.20.7240		40						42		62.25	●/●	●/◐	●/●

背镗刀 Back boring





图示为右手
Right hand shown


内孔背镗刀
Back boring


P	▲		
M	▲	▲	
K			
N			▲
S		▲	
H		△	

●：库存品 on stock ◐：1周 1week ○：3周 3weeks
▲：首选推荐 main recommendation △：备选推荐 alternative recommendation

型号 Order Number	Dmin	L2	R	Tmax	E	a	f	WB	L1	$DCON_{MS}$	LF	库存 Stock		
												TA61	TD61	M6
RTG4.B090.15.4225	4.2	23.4	0.15	0.8	2	3.95	1.95	2.6	26	4	42.25	●	●	●
RTG5.B090.15.5230	5.2	28.5	0.2	1	2	4.95	2.45	3.8	31	5	52.25	●	●	●
RTG6.B090.15.6230	6.2	28.5	0.2	1.8	2	5.95	2.95	4	31	6	52.25	●	●	●
RTG7.B090.15.7230	7.2	27.5	0.2	2.5	3	6.95	3.45	4.10	30	7	52.25	●	●	●

预切断刀 Pre-parting off





图示为右手
Right hand shown

内孔预切断，切断前内孔倒角，避免切断毛刺
Pre-cutting-off

●：库存品 on stock ◐：1周 1week ○：3周 3weeks
▲：首选推荐 main recommendation △：备选推荐 alternative recommendation

P	▲		
M	▲	▲	
K			
N			▲
S		▲	
H		△	

型号 Order Number	Dmin	W	L2	Tmax	a	f	WB	L1	$DCON_{MS}$	LF	库存 Stock		
											TA61	TD61	M6
R/LTG5.X100.5215	5.2	1	15	0.7	4.95	2.45	3.75	18	5	37.25	●/●	◐/◐	●/●
RTG5.X100.5220			20					23		42.25	●	◐	●
R/LTG5.X100.5225			25					28		47.25	●/●	◐/◐	●/●
RTG5.X100.5230			30					33		52.25	●	◐	●

TOOLOGIC Cutting tools



TOOLOGIC SUPPLY & MANUFACTURING LTD.

ADD: Chengdu City, Sichuan Province, China

TEL/WhatsApp: +86 13980705357

E-mail : sales@china-qh.com